

Monitoring Schedule

PWS ID: UTAH02005 **Name:** CORINNE CITY

Rating: Approved

Rating Date: 12/04/1995

Activity Status: Active

Phone Number: 435-744-5566

City Served (Area):

County: BOX ELDER COUNTY

System Type: Community

Last Inv Update: 06/30/2011

Avg Daily Prod:

Activity Status Cd: Active

Last Snty Srv Dt: 05/24/2010

Total Dsgn Cap:

Population: 640

Surveyor: DAVID F HANSEN

Total Emerg Cap:

Oper Period: 1/1 to 12/31

Gal/Day	Gal/Min
100	1.19
200	2.38
300	3.57
400	4.76
500	5.95
600	7.14
700	8.33
800	9.52
900	10.71
1000	11.90

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Monthly	04/01/2011		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ID	Facility Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH02005 DISTRIBUTION SYSTEM		Activity Status: A		Sample Label: UTAH02005	DS001
	Disinfection Biproducts	1	Routine	Year	09/14/2010	07/01-09/30 2011
	Lead & Copper	10	Routine	3 Years	2009	06/01-09/30 2012
SS012	BLENDED POINT SAMPLING STATION		Activity Status: A		Sample Label: UTAH02005	SS012
	RADIUM-228	1	Routine	QT		10/01/2008-09/30/2009
WS001	BATTY SPRING		Activity Status: A		Sample Label: UTAH02005	WS001 WS001
	NITRATE	1	Routine	Year	03/02/2011	01/01/2012-12/31/2012
	Radionuclides	1	Routine	6 Years	03/24/2009	01/01/2014-12/31/2019
	Volatile Organics	1	Routine	6 Years	03/24/2009	01/01/2014-12/31/2019
	Inorg & Metals	1	Routine	9 Years	03/02/2011	01/01/2020-12/31/2028
	Sodium,Sulfate,TDS	1	Routine	9 Years	03/02/2011	01/01/2020-12/31/2028
WS003	CUTLER WELL		Activity Status: A		Sample Label: UTAH02005	WS003 WS003
	GROSS ALPHA, EXCL. RADON &	1	Routine	QT	08/30/2010	10/01/2010-12/31/2010
	RADIUM-228	1	Routine	QT	08/30/2010	10/01/2008-09/30/2009
	COMBINED URANIUM	1	Routine	QT	08/30/2010	10/01/2010-12/31/2010
	RADIUM-226	1	Routine	QT	08/30/2010	10/01/2010-12/31/2010
	NITRATE	1	Routine	Year	03/02/2011	01/01/2012-12/31/2012
	Volatile Organics	1	Routine	6 Years	03/24/2009	01/01/2014-12/31/2019
	Inorg & Metals	1	Routine	3 Years	03/02/2011	01/01/2014-12/31/2016
Sodium,Sulfate,TDS	1	Routine	3 Years	03/02/2011	01/01/2014-12/31/2016	

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:33 am